

# Index

---

- $2 \times 2$  matrix, 38, 39, 77
- $3 \times 3$  matrix, 39, 77
- $I_n$ , 81
- $\varepsilon$ 's and  $\delta$ 's limits, 121–125
- $n$ -dimensional euclidian space, 74
- $n$ -space vectors, 74
- $\mathbb{R}^n$ , 3
- $x$  axis, 1
- $x$  coordinate, 3
- $x$ -simple regions, 347, 519
- $y$  axis, 1
- $y$  coordinate, 3
- $y$ -simple domain, 407
- $y$ -simple regions, 341, 344, 345, 519
- $z$  axis, 1
- $z$  coordinate, 3
- 0-form, 589, 590
- 1-form, 590
- 2-form, 590–592
- 3-form, 592
- symbol, xxviii
- ▲ symbol, xxviii
  
- absolute maximum, 219–222, 234, 235
- absolute minimum, 219–222, 234, 235
- absolute value, xxvi
- acceleration, 261, 263–266
- action at a distance, 507
- additive inverse, 3
- adiabatic process, 450
- airplane, 37
- Alexandov, 504
- algebra of forms, 597–601
- al-Khuwarizmi, xvii
- Ampère's law, 446, 447, 493, 549, 550, 582
- analytic function, 202
- Andromeda galaxy, 507
  
- angle between two vectors, 27–29
- angular velocity vector, 300
- anticommutativity, 597
- Appolonius, xv
- Arabian mathematics, xvii
- arc length
  - definition, 274, 275, 279
  - determination, 275, 276
  - differential, 278, 279
  - formula justification, 280, 281
  - function, 279
  - reparametrization, 282
- Archimedes, xvii, 398, 467, 468
- area
  - curl as circulation per unit area, 539–542
  - Green's theorem, 524
  - surfaces, 461–467
- associativity, 4, 59, 83, 597
- automobile shell, 405
- average value, 428
- average value of a function, 393–395
  
- Babylonian mathematics, xiii
- ball
  - volume of, 390
- barn, 348
- basic 1-forms, 590
- basic 2-forms, 590
- basic 3-forms, 592
- beam, 419, 420
- Bernoulli, Jacob, 66
- Bernoulli, Johann II, 189, 204
- Bernoulli's law, 586
- best linear approximation, 134
- binormal vector, 283
- bird, 35
- Bolyai, 85
- bordered Hessian determinant, 239, 241
  
- boundary curve, 532
- boundary points, 110, 111
- bounded function, 327
  - integratability, 330–332
- bounded set, 220
- brachistochrone, 429
- Buys–Ballot's law, 315
  
- calculus of variations, 429
- capped cylinder, 547
- Cardano, Gerolamo, 54–56
- Cartesian coordinates, 1, 2
- Cartesian product, 317
- Cauchy, Augusten-Louis, 42, 55, 56, 228, 469
- Cauchy–Riemann equations, 483
- Cauchy–Schwartz inequality, 29–33, 76
- Cavalieri, Bonaventura, 322
- Cavalieri's principle, 320–322
- Cayley, Arthur, 86
- center of gravity, 481
- center of mass, 93, 395–399
- centripetal force, 266
- chain rule, 150, 152, 153,
  - 156–158, 185, 186, 189, 227, 249, 262, 534, 542
  - first special case, 153, 154
  - general case and proof, 153, 155, 156
  - second special case, 154, 155
- change of variables formula, 368, 381
  - applications, 393–404
  - cylindrical coordinates, 388
  - double integrals, 382, 383
  - Gaussian integral, 385, 386
  - polar coordinates, 383–385
  - spherical coordinates, 388–390
  - triple integrals, 387–390
- change of variables theorem, 376



- changing the order of integration, 349–352
- charge density, 576
- chemical equation, 4
- circular orbit, 265–267
- circulation, 446, 539–542
- circulation and curl, 539–542
- class  $C^1$  functions, 138
- class  $C^2$  functions, 182
- Clifford, W. K., 421, 508
- Cobb–Douglas production function, 246
- closed curve, 442
- closed interval, xxvi
- closed set, 220
- closed surface, 549
- commutative, 81
- complex numbers, 55–57
- component curves, 444
- component scalar fields, 285
- composition, 120, 121
- conductivity, 287, 581
- cone, 456, 463, 473
- conformal parametrization, 482, 514
- conic sections, xiv
- conservation of energy, 289, 290, 581, 582
- conservation laws, 576–578
- conservative fields
  - definition, 551
  - gradient identification, 551–553
  - physical interpretation, 553–556
  - planar case, 556–558
- constant multiple rule, 151
- constant vector field, 607
- constrained extrema, 225–232
  - Lagrange multiplier method for several constraints, 232–235
  - second derivative test, 239–243
- continuity
  - of compositions, 121
  - definition, 118, 119
  - theorems, 137, 138
- continuous functions, 117–119
  - properties, 119, 120
- coordinates, 1–3
- Copernicus, Nicolaus, xxi
- Coulomb’s law, 288, 293, 494
- Cramer’s rule, 42
- critical points, 208–210, 215, 221, 222, 226, 240
- cross product, 38, 43–47, 54, 299
- cross product rule, 262
- cross section of a beam, 419
- cross section of a torus, 472
- cross-sectional area, 320, 321
- cubic equations, 54
- curl, 539–543
  - definition, 299–300
  - divergence, 304
  - gradients, 302, 303
  - rotation association, 300, 301
  - rotational flow, 301, 302
  - scalar curl, 303, 304
- curvature, 425, 425, 426, 500
  - hemisphere, 502–504
  - planes, 501
  - surfaces of constant curvature, 504, 505
- curves, 141–144, 276
  - components, 444
  - integral of 1-forms over, 593, 594
  - knotted, 426
  - line integrals over, 441–444
  - total curvature, 425, 500
- cyclicly permuting, 44
- cyclist, 449
- cycloid, 144
- cycloidal path, 146
- cylinder, 326
  - capped, 547
- cylindrical can, 244
- cylindrical hole, 473
- cylindrical coordinates, 66–68
  - change of variables, 388
  - Stokes’ theorem, 542, 543
- cylindrical hole, 473
- d’Alembert, LeRond, 189
- Darboux, 471
- Da Vinci, Leonardo, xx, 399
- definite integral, xvii
- degenerate critical point, 217
- Delauney, 505
- del Ferro, Scipione, 54
- del operator, 294, 307
- density
  - charge, 576
  - energy, 581
  - mass, 576
- derivative of a function, xvii
- derivative of a  $k$ -form, 598, 599
- derivative of a 3-form, 599
- derivative operator, 294
- derivatives
  - directional derivatives, 164–166
  - gradients, 136, 137
  - partial derivatives, 128–131, 135
  - properties, 150–152
- Descartes, René, 83, 84
- determinants
  - geometry of, 48–50
  - matrix, 38, 39
  - properties, 40–42, 82
- determinant test for positive definiteness, 215–219
- Dieterici’s equation, 161
- differentiability, 130–132
  - functions of two variables, 133
  - general case, 134–136
  - tangent plane, 133, 134
  - theorems, 137, 138
- differential equations, 187
- differential forms, 432, 588, 599
  - 0-forms, 589, 590
  - 1-forms, 590
  - 2-forms, 590–592
  - 3-forms, 592
  - algebra of forms, 597–601
  - Gauss’ theorem, 603
  - Green’s theorem, 602
  - integral of 1-forms over curves, 593, 594
  - integral of 2-forms over surfaces, 594–596
  - integral of 3-forms over regions, 596
  - Stokes’ theorem, 602
- differential operator, 259
- differentiation, 127, 128
- diffusivity, 582
- Dirac, Paul, xix
- directed simple curve, 441



- directional derivatives, 164–166
- Dirichlet's functional, 482
- discontinuous functions, 118
- discriminant of the Hessian, 216
- displacement vector, 34, 35
- distance, xxvi
  - from point to plane, 52, 53
  - between vector endpoints, 26, 77
- distributivity, 4, 597
- divergence
  - curls, 304
  - cylindrical coordinates, 542, 543
  - definition, 295
  - Gauss' theorem, 564–566, 568, 569, 572, 573
  - Green's theorem, 527, 528
  - Laplace operator, 305
  - physical interpretation, 295
  - spherical coordinates, 542, 543, 572, 576
  - domain, xxvii
- dot product, 23–25, 29, 47, 54, 60, 69, 75
- dot product rule, 262
- double integrals
  - bounded functions, 330–332
  - Cavalieri's principle, 320–322
  - change of variables formula, 382, 383
  - changing the order of integration, 349–352
  - over elementary regions, 341–343
  - Fubini's theorem, 332–338
  - mean value equality, 352, 353
  - mean value inequality, 352
  - over a rectangle, 327–338
  - reduction to iterated integrals, 322–325, 343–347
  - as volumes, 317–320
- doughnut surface, 452
- Douglas, Jesse, 471
- economics, 237–239
- Egyptian mathematics, xiii
- eigenvalue, 245
- eigenvector, 245
- Einstein, Albert, 85, 86, 293, 506–508
- Einstein's field equations, 508, 509
- Einstein's general theory of relativity, 506–508
- elasticity, 419
- electric field, 583
- elementary regions, 357, 358
  - double integrals over, 341–343
  - Gauss' theorem, 561–563
  - Green's theorem, 519, 520
  - symmetric, 360, 361
  - triple integrals over, 359–363
- ellipsoid, 472, 499
- elliptic operator, 259
- energy density, 581
- energy flux vector, 581
- energy vector field, 287
- epicycle, xv, 144
- epicycloid, 144
- equality of mixed partials, 183, 184
- equation of continuity, 577
- equipotential surfaces, 170, 171, 288
- escape velocity, 290
- Escher, M. C., 486
- Euclid, xvii, 284
- Euclidean  $n$ -space
  - matrices, 77–83
  - vectors in, 74–77
- Eudoxus, xv
- Euler, Leonhard, 55, 181, 184, 188, 227, 267, 468, 469, 581
- Euler's equation for a perfect fluid, 579–580
- Euler equations, 184
- Euler's theorem, 176
- European mathematics, xix
- exhausting regions, 408
- exceptional points, 552
- extrema, 207
- Faraday, Michael, 469
- Faraday's law, 491, 582
  - Stokes' theorem, 543, 544
- Fary–Milnor theorem, 426, 427
- fence, 424, 425
- Feynman, Richard, 267–271, 585
- Feynman integrals, 268
- Fields medal, 427
- Fior, 54
- first-order Taylor formula, 196, 198, 200, 201
- flexural rigidity, 419
- flow lines, 290–292
- flux, 491, 492, 568, 569
- flux per unit volume, 568, 569
- Fontana, 54
- force fields
  - gravitational force field, 287, 292, 558
  - work done by, 429–431
- force vectors, 36
- Fourier, Joseph, 187
- free vector, 7
- Frenet formulas, 283
- frequency, orbit, 265
- frustum, 473
- Fubini, Guido, 339
- Fubini's theorem, 332–339
  - for improper integrals, 411–413
- functions of several variables, 95
- functions, xxvii
  - analytic, 202
  - arc length, 279
  - average value, 393–395
  - $C^1$ , 138
  - $C^2$ , 182
  - continuous, 117–120
  - differentiability, 133
  - graphs, 96–105
  - Green's, 585
  - harmonic, 192
  - one-to-one, 371, 372, 374
  - onto, 373, 374
  - potential, 554, 557, 575
  - quadratic, 211–214
- functions unbounded at isolated points, 413, 414
- fundamental theorem of
  - algebra, 55
- fundamental theorem of calculus, 194, 279, 337, 520, 588
- fundamental theorem of integral calculus, 332



- Galileo, 186
- gauge freedom, 583
- Gauss, Karl Friedrich, 55, 56, 85, 500, 506, 508
- Gauss–Bonnet theorem, 509–512
- Gauss curvature, 85, 501, 503, 504, 506, 509
- Gaussian integral, 385, 386
- Gauss’ law, 493, 570–572, 582
- Gauss’ theorem, 518, 561
  - differential forms, 603
  - divergence as flux per unit volume, 568, 569
  - divergence theorem, 564–566
  - elementary regions and boundaries, 561–563
  - generalizing of, 566–568
- general implicit function theorem, 250–252
- general vector field, 285, 286
- geometry
  - determinants, 48–50
  - real-valued functions, 94–104
  - scalar multiplication, 7, 8
  - theorems by vector methods, 13, 14
  - vector addition, 4–7
  - vector subtraction, 8, 9
- geosynchronous orbit, 267
- Gibbs, Josiah Willard, 60, 61, 308, 310
- global maximum, 219–222, 235, 236
- global minimum, 219–222, 235, 236
- gradients, 136, 137, 163, 166
  - normal to level surfaces, 167
- gradient vector field, 168–170, 286–289
  - conservative fields, 550–558
  - line integrals over, 439–441
- graphs, xxvii
  - cylindrical coordinates, 542, 543
  - orientation, 488
  - real-valued functions, 96–105
  - smooth versus nonsmooth, 128
  - spherical coordinates, 542, 543
  - Stokes’ theorem, 532–537
  - surface area, 465
  - surface integrals over, 476–480, 494–496
- gravitational constant, 550
- gravitational force field, 287, 292, 558
- gravitational potential, 188, 288, 400–404
- gravitational potential energy, 556
- Greek mathematics, xiii
- Green’s function methods, 585
- Green’s identities, 575
- Green’s theorem
  - area of region bounded by curve, 524, 525
  - correct orientation for boundary curves, 522
  - differential forms, 602
  - divergence theorem in the plane, 527, 528
  - generalizing of, 523, 524
  - lemmas, 520–522
  - simple and elementary regions and boundaries, 519, 520
  - vector form, 525–527
- halo orbit, 272
- Hamilton, Sir William Rowan, 56–59, 85, 267, 307
- Hamilton’s principle, 272
- harmonic function, 192
- heat equation, 187, 188, 582
- heat flux vector field, 287
- Heaviside, 61
- helicoid, 464, 465, 476, 480, 505
- helix, 146, 147, 422
- hemisphere
  - curvature, 502–504
- Hessian, 212–214, 216
- higher-order approximations, 193
- higher-order derivatives, 181
- Hilbert, David, 511, 512
- Hilbert’s action principle, 512
- Hipparchus, xv
- Hölder-continuous, 127
- holonomy, 546
- homogeneous of degree, 176
- hot-air balloon, 548
- Huygens, Christian, 55, 84, 145, 468
- hydrodynamic equation, 310
- hyperbolic paraboloid, 100–102
- hyperboloid, 458
- hypocycloid, 144, 449, 525
  - of four cusps, 263
- ideal gas law, 178
- imaginary numbers, 54, 55, 57
- implicit function theorem, 247, 251
- improper integrals
  - exhausting regions, 408
  - as limits, 408, 409
  - as limits of iterated integrals, 409–411
  - in plane, 407
  - one-variable improper integrals, 406, 407
- incompressible fluid, 569
- Indian mathematics, xvii
- induced orientation, 532, 533, 539, 571
- inequality
  - Cauchy–Schwartz, 29–33, 76
  - mean value, 352
  - triangle, 32, 33, 76, 152, 284
- inhomogenous wave equation, 584
- inner products, 23–27, 29, 30, 75
- integer, xxvi
- integral
  - double, 330–338
  - Feynman, 268
  - Gaussian, 385, 386
  - improper, 409–411
  - iterated, 322–325, 329–332, 343–347, 409–411
  - line, 429–432, 434, 439–444, 535, 536
  - oriented, 439
  - path, 421–425
  - Riemann, 338, 339
  - scalar functions over surfaces, 474
  - surface, 476–480, 483–485, 489–496
  - topological invariant, 510
  - triple, 355–357, 387–390
- integral of a function, xxviii
- integratability, 330–332



- integration
  - double integral reduction, 322–325, 343–347
  - triple integral reduction, 356, 357
- integration by parts, 194, 195
- intersection, xxvii
- inverse function theorem, 252, 253
- invertible matrices, 81
- irrational number, xxvi
- irrigation canal, 244
- irrotational vector field, 301, 302, 554, 556
- isobar, 315
- isoquant, 238
- isotherm, 287
- iterated integrals
  - Fubini's theorem for, 411
  - improper integrals as limits of iterated integrals, 409–411
  - properties, 329–332
  - reduction of double integrals, 322–325, 343–347
- iterated partial derivatives, 182, 183, 185
  
- Jacobi, 43
- Jacobian determinant, 252, 377–381, 387
  
- Kelvin's circulation theorem, 491
- Kepler, xxi–xxii, 266, 267
- Kepler's laws of celestial motion, xxi–xxii, 186, 266
- knotted curve, 426
- Korteweg–de Vries equation, 189
  
- Lagrange, Joseph Louis, 69
- Lagrange multiplier method, 226–231
  - global extrema solutions, 235, 236
  - for several constraints, 232–235
- Laplace, Pierre-Simon de, 43, 188
- Laplace operator, 305
- Laplace's equation, 188, 189
- law of conservation of mass, 576, 577
- law of cosines, 27
- least squares, 259
- Lebesgue, Henri, 339, 469, 471
- left-hand limit, 127
- Leibniz, Gottfried Wilhelm, 42, 55, 83–85, 204–207, 322
- lemniscate, 391
- length, vectors, 24–26, 75, 145
- level contours, 97–99
- level curves, 97–99
- level sets, 97, 102
- level surface, 99, 167
- L'Hôpital's rule, 122
- limits
  - definition, 111, 112, 121
  - neighborhoods, 113
  - properties, 115, 116
  - reading from functions, 113–115
  - uniqueness, 115
- limits in terms of  $\varepsilon$ 's and  $\delta$ 's, 121–125
- Lipschitz-continuous, 127
- linear approximation, 131, 132, 134, 193, 201, 202
- line integral
  - over curves, 441–444
  - definition, 431, 432
  - differential form, 432
  - $dr$  notation, 444
  - of gradient fields, 439–441
  - reparametrization, 435–439
  - Stokes' theorem, 535, 536
  - work done by force fields, 429–431, 434
- lines
  - dimensionality, 20
  - equations of, 14–18
  - parametric expression, 14–16, 18
  - passing through endpoints of two vectors, 17
  - point-direction form, 15
  - point-point form of parametric equations, 18, 19
  - segment description, 19
- Listing, J. B., 485
- Lobachevsky, 85
- local extrema, 208
- local maximum
  - definition, 207
  - first derivative test, 208–210
  - second derivative
    - maximum-minimum test for functions of two variables, 216–219
  - second derivative test, 211–215
- local minimum
  - definition, 207
  - first derivative test, 208–210
  - second derivative
    - maximum-minimum test for functions of two variables, 216–219
  - second derivative test, 211–215
- localization of objects, 34
  
- Maclaurin, 42
- magnetic field, 583
- Mapertuis' principle, 203–205, 267
- maps, xxvii
  - images of, 371
  - Jacobian determinants, 377–381
  - one-to-one maps, 371, 372, 374
  - onto maps, 373, 374
  - parametrized surfaces as, 453
  - from  $\mathbb{R}^2$  to  $\mathbb{R}^2$ , 369–371
- marbles, 92
- Marcellus, 468
- mass
  - center of, 395–399
  - density, 405, 576
  - law of conservation, 576, 577
- material derivative, 578
- matrices
  - $2 \times 2$  matrix, 38, 39, 77
  - $3 \times 3$  matrix, 39, 77
  - determinants, 38–42, 48–50, 82
  - general matrices, 77–81
  - invertible matrices, 81
  - partial derivatives, 135, 136, 157
  - triple product, 44, 83
- Maupertuis, Pierre-Louis de, 203–205, 207
- Maxwell, James Clerk, 60, 307, 308, 310, 585



- Maxwell field equations, 293, 549, 582–585  
 mean curvature, 85, 501, 504  
 mean value equality, 352, 353  
 mean value inequality, 352  
 mean-value theorem, 423  
 method of least squares, 259  
 method of substitution, 381  
 Milky Way, 507  
 Milnor, John, 426, 427  
 minimal surfaces, 513  
 minimum  
   absolute, 219–222, 234, 235  
   global, 219–222, 235, 236  
   local, 207–219  
 mixed partial derivatives, 182–185  
 Möbius, A. F., 486  
 Möbius strip, 486, 487  
 moment of a force, 63, 64  
 moments of inertia, 400  
 momentum, 92  
 mountain, 173, 177, 450, 498  
 Muir, T., 43  
 multiplication, 3, 4, 7, 8, 11, 54  
  
 Navier–Stokes equations, 581  
 negative, 3  
 negative-definite quadratic  
   function, 212, 214, 215  
 negative pressure gradient, 315  
 neighborhood, 110, 111, 113, 248  
 Newton, Sir Isaac, xxiii, 56, 66, 267, 322, 401, 506, 507, 576  
 Newton’s law of gravitation, 169, 186, 205, 265, 287, 288, 507  
 Newton’s potential, 188, 193  
 Newton’s second law, 261, 264–266, 271, 289  
 Noether, Emmy, 272, 273  
 nondegenerate critical points, 217, 219  
 nonsmooth graph, 128  
 normalized vector, 25, 26  
  
 one-to-one maps, 371, 372, 374  
 onto maps, xxvii, 373, 374  
 open ball, 107, 110  
 open disk, 107–110  
 open interval, xxvi  
 open set, 107–110  
 opposite path, 437  
 orbit  
   circular, 265–267  
   geosynchronous orbit, 267  
   halo orbit, 272  
 order of integration, 349–352  
 ordinary differential  
   equations, 187  
 orientation  
   graphs, 488  
   surfaces, 485–487  
   vector surface element of a sphere, 488  
 orientation-preserving  
   parametrization, 487, 488  
 orientation-preserving  
   reparametrization, 435, 436  
 orientation-reversing  
   parametrization, 487, 488  
 orientation-reversing  
   reparametrization, 435, 436  
 oriented integral, 439  
 oriented simple curve, 441, 442  
 oriented surface, 485–487, 489  
 origin, 1  
 orthogonal projection, 31, 32  
 orthogonal vectors, 29, 30, 44  
 orthonormal vectors, 29, 72  
  
 paddle wheel, 330, 538, 553  
 Pappus’ theorem, 473  
 paraboloid, 363  
 paraboloid of revolution, 99  
 parallelogram, 382, 383, 462, 463  
   cross product calculation, 46, 47  
   parametric description, 19, 20  
 parallelogram law, 86  
 parametrization, 141, 142, 370, 434, 441, 442, 446, 456–458, 489  
 parametrized by arc length, 282  
 parametrized surfaces  
   definition, 453  
   graph restrictions, 451, 452  
   as mappings, 453, 454  
   regular surface, 455, 456  
   Stokes’ theorem, 537–539  
   surface integrals, 496  
   tangent plane to, 456–458  
   tangent vectors to, 454, 455  
 parallelepiped, 49  
 partial derivatives, 128–131, 135  
   equality of mixed partials, 183, 184  
   iterated partial derivatives, 182, 183, 185  
   mixed partial derivatives, 182–185  
 partial differential equations, 187  
 Pascal, Blaise, 145  
 path, 141–144  
   differentiation, 261–264  
   integration of scalar functions over, 421–427  
   piecewise smooth, 276, 277  
 path-connected region, 367  
 path-independent integral, 550  
 path integral, 421–425  
 perpendicular vectors, 29  
 physical applications of vectors, 33–36  
 piecewise curve, 276  
 Planck, Max, 205, 206, 576  
 planes  
   curvature, 501  
   dimensionality, 20  
   equations of, 50–52  
   parametric description, 20, 21  
   parametrization, 453, 454  
   three coordinate planes, 21  
 Plateau, Joseph, 469–471  
 Plato, xv  
 Poincaré, 272  
 Poisson’s equation, 188, 189, 575  
 polar coordinates, 65, 66, 157  
   change of variables, 383–385  
 polarization identity, 86  
 position vector, 444, 445  
 positive-definite matrix, 215  
 positive-definite quadratic  
   function, 212–219  
 potential, 575  
 potential equation, 188  
 potential function, 554, 557, 575  
 potential temperature, 179  
 Poynting vector, 587



- pressure, 579
- principal normal vector, 283
- Principia*, xxiv
- principle of least action, 204–207
- product rule, 151
- properties
  - continuous functions, 119, 120
  - derivatives, 150–152
  - determinants, 40–42, 82
  - iterated integrals, 329–332
  - limits, 115, 116
  - triple integrals, 355–357
- proper time of a path, 284
- property of the unit element, 4
- property of zero, 4
- Ptolemaic model of planetary motion, xvi, 203
- Ptolemy, xvi
- Pythagorean theorem, 24, 25
  
- quadratic approximations, 193, 201, 202
- quadratic equations, 54
- quadratic function, 211–214
- quaternions, 57–61, 307
- quotient rule, 151
  
- range, xvii
- rational number, xxvi
- real-valued functions
  - extrema, 203–222
  - geometry, 94–104
- regular differentiable path, 263
- regular partition, 327
- regular surface, 455, 456
- relative extrema, 208, 228
- relativistic triangle inequality, 284
- reparametrization, 435–439
- restaurant plans, 498
- Riemann, Bernhard, 55, 85, 86, 338, 339, 471, 506, 508
- Riemann integral, 338, 339
- Riemann sum, 317–319, 321, 328, 335, 424, 462
- right-hand limit, 127
- right-hand rule, 45
- rotary vector field, 286
  
- saddle, 100–103
- saddle point, 208, 210, 216, 217
- saddle-type critical point, 215–217, 242, 243
- sailboat, 178
- Sawyer, Tom, 424, 425
- scalar curl, 303, 304, 556
- scalar field, 285
- scalar multiplication, 3, 4, 7, 8, 11, 54
- scalar multiplication rule, 262
- scalar-valued function, 95
- Schwarz, H. A., 471
- second-order Taylor formula, 195–198, 200, 201
- semimajor axis, 236
- semiminor axis, 236
- set
  - bounded, 220
  - closed, 220
  - level, 97, 102
  - open, 107–110
- simple closed curve, 442, 443
- simple regions, 341, 346
- single-sheeted hyperboloid of revolution, 103, 104
- slice method–Cavalieri’s principle, 320–322
- smooth graph, 128
- smooth path, 220
- smooth surface, 455–457
- Snell’s law, 64
- soap bubble, 504
- soap film surfaces, 469, 470, 504, 505
- solid ellipsoid, 418
- solid of revolution, 326
- soliton, 189, 109
- special implicit function theorem, 247, 248
  - and surfaces, 248–250
- speed, 145, 265, 277
- sphere, 538
  - surface integrals, 497
- spherical coordinates, 68–72
  - change of variables, 388–390
  - divergence, 572
  - Stokes’ theorem, 542, 543
- standard basis vectors, 10, 11, 75
  
- steady flow, 285
- Stokes’ theorem, 300, 491, 518
  - conservative fields, 551, 553
  - curl as circulation per unit area, 539–542
  - differential forms, 602
  - Faraday’s law, 543, 544
  - for graphs, 532–537
  - non-Euclidean geometry
    - link, 546
  - parametrized surfaces, 537–539
  - reorientation applications, 544–546
- streamlines, 291
- strictly subharmonic, 259
- strong maximum principle, 531
- strong minimum principle, 531
- subharmonic function, 259, 531
- subset, xxvi
- sum, Riemann, 317–319, 321, 328, 335, 424, 462
- sum rule, 151, 262
- superharmonic function, 531
- surface area
  - definition, 461–464
  - graph surface area, 465
  - surfaces of revolution, 466, 467
- surface integrals
  - over graphs, 476–480, 494–496
  - independence of
    - parametrization, 489, 490
  - physical interpretation, 490–494
  - scalar integral relationship, 490
  - summary of formulas, 496, 497
  - of vector fields, 483–485
- surfaces
  - integral of 2-forms over surfaces, 594–596
  - integrals of scalar functions over, 474–476
- symmetric elementary regions, 360, 361
  
- Tait, Peter Guthrie, 59, 61
- tangent line to a path, 148, 149
- tangent plane, 133, 134, 456–458
  - and level surfaces, 167, 168



- tangent vectors, 146, 156, 454, 455
- target, xxvii
- Tartaglia, Niccolo, 54, 55, 398
- Tartaglia–Cardano solution, 55
- Taylor series, 200
- Taylor’s theorem, 193, 194, 213
  - first-order Taylor formula, 196, 198, 200, 201
  - for many variables, 196–202
  - second-order Taylor formula, 196–198, 200, 201
  - single-variable Taylor theorem, 194, 195
  - third-order Taylor formula, 199
- temperature, 172, 178, 179, 451, 497
- tetrahedron, 345, 346
- Thales, of Miletus, xiv
- theorems
  - change of variables, 376
  - Euler’s, 176
  - Fary–Milnor, 426, 427
  - Fubini’s, 332–339, 411–413
  - fundamental theorem of algebra, 55
  - fundamental theorem of calculus, 194, 279, 337, 520, 588
  - fundamental theorem of integral calculus, 332
  - Gauss–Bonnet theorem, 509–512
  - Gauss’, 518, 561–569, 603
  - general implicit function, 250–252
  - Green’s, 519–527
  - inverse function, 252, 253
  - Kelvin’s circulation, 491
  - mean-value, 423
  - Pappus’, 473
  - Pythagorean, 24, 25
  - special implicit function, 247–250
  - and surfaces, 248–250
  - Stokes’, 300, 491, 518
  - Taylor’s, 193, 194, 213
  - transport, 578, 579
  - thermodynamic path, 450
  - third-order Taylor formula, 199
  - Thomae, Karl J., 339
  - Thompson, D’Arcy, 505
  - three-body problem, 272
  - topological invariant integral, 510
  - torsion, 283
  - torus, 452, 471, 472, 510, 511, 588
  - total curvature, 425, 426, 500
  - transformations, xxvii
  - transport equation, 578, 586
  - transport theorem, 578, 579
  - triangle inequality, 32, 33, 76, 152, 284
  - triple, 2, 3
  - triple integral, 387–390
    - definition, 355
    - over elementary regions, 359
    - properties, 355–357
    - reduction to integrated integrals, 356, 357
  - triple product, 44, 83
  - twice continuously differentiable, 182
  - unbounded regions, 414
  - unicellular organisms, Delauney’s surfaces, 505, 506
  - union, xxvi
  - unit ball, 358, 392
  - unit circle, 529
  - unit cube, 562
  - unit disk, 224, 390
  - unit speed, 282
  - unit sphere, 471, 487
  - unit vector, 25
  - Vandermonde, 42
  - van der Waals gas, 450
  - vector addition, 3–7
    - definition, 4
    - free, 7
    - geometry of, 4–7
    - physical interpretation, 6
    - standard basis vectors, 11
  - vector fields
    - basic identities of vector analysis, 306, 307
    - conservative fields, 550–558
    - curl, 299–303
    - divergence, 295–298
    - flow lines, 290–292
    - general vector field, 285, 286
    - gradient vector field, 168–170, 286–289
    - integration of over paths, 429–447
    - Laplace operator, 305
    - rotary vector field, 286
    - scalar curl, 303, 304
    - surface integrals, 483–485
  - vector joining two points, 12, 13
  - vector moment, 63, 64
  - vector product, 43, 54
  - vector subtraction, 8, 9
  - vector-valued function, 95, 261
  - velocity vector, 34, 35, 145, 147, 149, 156
  - wave equation, 189
  - wedge product, 597
  - Weirstrass, 470, 471
  - Wente, Henry, 504
  - Weyl, Hermann, 86
  - Wilson, E. B., 61, 308
  - work, 91, 429–431, 434
  - Young’s modulus of elasticity, 419
  - zero element, 3
  - zero vector, 36